

# Fatal Attraction® Fly Bait

## What is Fatal Attraction?

Fatal Attraction is an effective fly bait formula containing a house fly sex attractant which encourages both male and female flies to remain in the treated area and take up more bait. It kills quickly and effectively and the flies fall in and around the area they feed.

## Why Control Flies in Premises?


Apart from sheer annoyance to the animals and to the people working around them, flies are vectors of disease and contribute to a deterioration of hygiene standards.

## Where should you use Fatal Attraction?

Fatal Attraction is suitable for use in agricultural buildings that house livestock, such as dairy cows, calves, sheep, pigs, and horses. It is also suitable for use in poultry houses and dog kennels. The bait should be placed in as many places as possible where flies congregate, such as window sills, stall partitions, around feeders, etc. When used in areas accessible to birds, bait must be placed in a bait station when prevents birds from consuming the bait. For caged poultry scatter bait on walkways.

## How should you apply Fatal Attraction?

Scatter or sprinkle bait lightly, using 250 g per 100m<sup>2</sup> onto a clean surface such as newspaper, cardboard or pie plates which may be pre-dampened. When used in areas accessible to birds, place bait in a bait station Re-apply as soon as the baited areas are covered by dead flies, or after one month period.



### Features

- Fast acting
- Formulated with z-9-tricosene
- Bright BLUE pigment

### Benefits

- Flies die rapidly after feeding on bait, in around the bait
- Sexual attractant tempts both male & female flies to stay longer
- Studies indicate a fly's eye is most sensitive to 475 nm light - blue, not yellow!

### Recommended use:



Long acting

2 kg handled jug

Remains active for days, until it's covered with dead flies and dust

Wide mouth container with dispenser top makes it convenient

Consult label for current use directions and precautions

\* registered trademark of Engage Animal Health Corporation

# FATAL ATTRACTION® FLY BAIT

GRANULAR  
AGRICULTURAL

READ THE LABEL BEFORE USING

NET CONTENTS 2 kg

GUARANTEE: methomyl. . . . 1.000%  
z-9-tricosene. . .0.025%

REGISTRATION NO.: 2942  
PEST CONTROL PRODUCTS ACT

## CAUTION POISON POTENTIAL SKIN SENSITIZER

### DIRECTIONS FOR USE:

FATAL ATTRACTION® FLY BAIT contains a fly attractant which encourages both male and female flies to remain in the treated area, thus feeding on the bait. Bait should be scattered over specified fly feeding surfaces daily or as needed to provide initial knockdown and reduction to fly populations. Distribute bait from container or other device to avoid handling bait.

Wear chemical resistant gloves when applying product. When used in areas accessible to birds, bait must be placed in a bait station which prevents birds from consuming the bait.

Barns, Poultry Houses: Scatter bait at the rate of 250 g per 100m<sup>2</sup> to window sills and other areas where flies congregate. Apply only to areas out of reach of animals. For caged poultry scatter bait on walkways.

Dog Kennels: Scatter bait around outside areas of dog pens, runways, out of reach of animals at the rate of 250 g per 100 m<sup>2</sup>.

DO NOT apply this product directly to freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands) or to estuarine/marine habitats.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Spilled fly bait granules must be cleaned up by collecting the bulk of granules and any remaining on the soil surface should be buried.

### PRECAUTIONS

**KEEP OUT OF REACH OF CHILDREN:** Hazardous to Humans and Domestic Animals:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Do not contaminate feed, water, food or litter. Do not apply where poultry or animals can pick it up or lick the product. Do not use in homes or where food is processed or stored. Do not feed treated garbage to livestock. Use only in areas inaccessible to food producing animals.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no instructions are available, wash PPE using detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing or other materials that have been drenched or heavily contaminated with this product. Do not reuse them.

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Wear cotton coveralls over a long-sleeved shirt and long pants, shoes plus socks and chemical resistant gloves.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Wear chemical-resistant gloves during application

TOXICOLOGICAL INFORMATION: This product contains methomyl, a carbamate insecticide. Poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors. Atropine is antidotal.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with warm water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

STORAGE AND DISPOSAL: Keep bait in original container, tightly closed and stored in a cool place. Do not contaminate water, food or feed by storage or disposal. Do not re-use empty container. Follow provincial instructions for any required additional cleaning prior to its disposal. Make the empty container unsuitable for further use.

Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms. Toxic to birds and small wild mammals. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body. The use of this chemical may result in contamination of ground water particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Engage Animal Health Corporation  
1030 Gordon Street  
Guelph, Ontario N1G 4X5  
519-826-7878