



Lice-Away[®] Insecticide Pour-On Liquid



What is Lice-Away Pour-On?

Lice-Away Pour-On is a ready-to-use, pour-on insecticide to control Biting Lice, Horn Flies, Rocky Mountain Wood Ticks, and Sucking Lice in beef and dairy cattle. Lice-Away Pour-On contains 1% Permethrin, a synthetic pyrethroid insecticide, ready-to-use without dilution.

Why Control Flies?

Apart from having more comfortable animals, there are distinct economic benefits from investing in insect control for cattle. Beef cattle that are irritated by flies are distracted from feeding and produce less meat. Dairy cattle produce less milk when their behaviour changes as they react to insect pressure.



Application

Apply 15mL per 45kg of bodyweight, up to a maximum of 150mL per animal. Pour along the back and down the face, taking care to avoid the eyes and mouth, or apply to the face with a cloth moistened with Lice-Away Pour-On. Repeat treatment as needed, but not more than once every two weeks. Lice-Away has no milk withholding restrictions in dairy cattle and can be applied right up to 24 hours before slaughter of beef cattle.

Lice-Away Container:

Ready-to-Use 4 L container is the ideal format – application can be made with a dipper or an applicator gun connected directly to the container. No dilution is necessary.

Recommended use:



Features

- Synthetic Pyrethroid Active
- Versatile
- Controls Lice, Horn Flies, and Rocky Mountain Ticks
- Ready-to-Use Product
- 4L Container

Benefits

- Quick Knockdown + Residual Effect
- Recommended for cattle of any age, breed, or sex including day old calves when used as directed.
- More content cattle means higher market weight, higher milk production.
- No dilution required.
- Simple, accurate application. Applicator gun fits right on the container.

Consult label for current use directions and precautions

Lice-Away is a registered trademark of Engage Animal Health

LICE-AWAY®
Pour – on Insecticide - Non Systemic
FOR BEEF, LACTATING AND NON-LACTATING DAIRY CATTLE

COMMERCIAL

Net Content: 4L

Agricultural
Ready to use Solution

Controls: Biting lice and horn flies and as an aid in the control of sucking lice.

GUARANTEE:

Permethrin1.0%

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Store product in the original container. Keep tightly closed

REGISTRATION NO. 23777.02
PEST CONTROL PRODUCT ACT

DIRECTIONS FOR USE: LICE-AWAY POUR-ON INSECTICIDE is ready to use. No dilution is necessary. For control of biting lice and horn flies. Apply 15 mL (1/2 fl.oz) per 45 kg (100 lbs.) of bodyweight up to a maximum of 150 mL (5 fl.oz.) for any one animal. Pour along the back and down the face taking care to avoid the eyes, nose and mouth. Alternatively, LICE-AWAYPOUR-ON INSECTICIDE may be applied to the face with a cloth that is slightly moistened with the product. Repeat treatment as needed but not more than once every 2 weeks. For optimum control of lice, two treatments 14 days apart are recommended. Leave a one day interval between last application and slaughter.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN: For dairy cattle, DO NOT use this product in combination with any other permethrin product. Harmful if swallowed, inhaled, absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. Use with adequate ventilation. Wear protective clothing during application. If irritation appears, discontinue use.

Withhold application 24 hrs. before slaughter. Wash contaminated clothing before reuse. Do not contaminate feed, food, or litter. Do not contaminate food handling equipment. Store in original container away from feed and food. Do not contaminate any body of water. Highly toxic to crabs, fish and shrimp. Harmful to wildlife if allowed to contaminate lakes and streams. Do not use in areas where bee-keeping equipment or supplies are stored, or where milk is stored or processed. This product contains a petroleum distillate at 99% (proportion by weight) which is moderately to highly toxic to aquatic organisms.

DISPOSAL: Do not reuse container. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spill, contact the Provincial Regulatory Agency or the manufacturer.

FIRST AID: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Engage Animal Health Corporation
1030 Gordon St.
Guelph, ON N1G 4X5
519-826-7878

® Registered trademark of Engage Animal Health Corporation
Consult label for current use directions and precautions