

BackLine®

Pour-On Insecticide

Quick, cost effect, concentrated.
Control biting, and flying insects year
round with 0 - 1 day withdrawal.

MADE IN CANADA 



www.engageah.com

Tel: 866.613.3336

Effective Flexible Low Dose

BackLine Pour-On is a ready-to-use pour-on insecticide for control of biting lice, horn flies, rocky mountain wood ticks, and sucking lice in beef and dairy cattle.

CONCENTRATED

Formulation is more concentrated than traditional pour-ons, containing 5% Permethrin, a synthetic pyrethroid insecticide, but is still ready-to-use without dilution.

LOW DOSE

Apply 3mL/45kg bodyweight up to a maximum of 30mL per animal. Pour along the back and down the face, taking care to avoid the eyes and mouth, or apply to the face with a cloth moistened with BackLine. Repeat treatment as needed, but not more than once every two weeks.

NO MILK WITHDRAWAL

BackLine Pour-On has no milk withdrawal period when used on lactating dairy cattle, and can be used right up to one day before slaughter for beef cattle.

BITING LICE
SUCKING LICE
TICKS
FACE FLIES
HORN FLIES

BEEF CATTLE
DAIRY CATTLE

NO MILK WITHDRAWAL

ENGAGE ANIMAL HEALTH

1030 Gordon street
Guelph, ON Canada
N1G 4X5

www.engageah.com

BackLine is a registered trademark of Engage Animal Health Incorporated





Non-Systemic Pour-On to Control Biting Lice, Sucking Lice, Horn Flies and Rocky Mountain Wood Ticks on Beef, Lactating and Non-Lactating Dairy Cattle.

GUARANTEE: Permethrin 5.0% w/w.

CAUTION - IRRITATING TO SKIN AND EYES.

READ THE LABEL BEFORE USING. KEEP OUT OF REACH OF CHILDREN.

Net Content: 1L, 4L

AGRICULTURAL

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

REGISTRATION NO. 31712 PEST CONTROL PRODUCTS ACT.

DIRECTIONS FOR USE: BACKLINE Insecticide is ready to use. No dilution is necessary. For control of biting lice, sucking lice, horn flies and Rocky Mountain Wood Ticks (*Dermacentor andersoni*). Apply 3 mL (1/10 fl. oz) per 45 kg (100 lbs) body weight up to a maximum of 30 mL (1 fl. oz) for one animal. Pour along the back and down the face taking care to avoid the eyes and mouth. Alternatively BACKLINE POUR-ON Insecticide may be applied to the face with a cloth that is slightly moistened with the product. Repeat treatment as needed but not more than once every 2 weeks. For control of Rocky Mountain Wood Ticks apply topically at time of entry into tick infested pastures. One or two treatments per year may be necessary. Do not apply more than once every two weeks. Leave a one day interval between last application and slaughter. One 1 L bottle lasts for 33 treatments or more, depending on the weight of the animal treated. One 4 L bottle lasts for 133 treatments or more, depending on the weight of the animal treated.

PRECAUTIONS: For Dairy Cattle DO NOT use this product in combination with any other permethrin treatment. KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED. CAUTION: SKIN IRRITANT. Avoid prolonged or repeated contact with skin. Wash skin thoroughly with soap and water after contact. Avoid breathing vapours. Use with adequate ventilation. Wear protective clothing and chemical resistant gloves during application. Remove contaminated clothing and wash separately from household laundry before reuse. May irritate skin and eyes. Avoid contact with skin, eyes and clothing.

DISPOSAL: Disposal of container. *Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site: make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.*

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Inducing vomiting as first aid for this slightly toxic substance may result in increased risk of chemical pneumonia or pulmonary oedema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

ENVIRONMENTAL HAZARDS: This product is very toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flames.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Engage Animal Health Corporation

1030 Gordon St.

Guelph, ON N1G 4X5

519-826-7878